International Journal of

ELECTRONICS

Theoretical and Experimental

Editor: P. A. LINDSAY, D.Sc.(Eng.), Ph.D., D.I.C., C.Eng., F.I.E.E., F.Inst.P.

Associate Editors: Dr. V. L. Granatstein, B.S., M.S., Ph.D. (U.S.A.)

Professor Shoichi Ono, B.E., M.S., D.Eng. (Japan)

Consultant Editor: Professor Sir NEVILL MOTT, M.A., D.Sc., F.Inst.P., F.R.S.

Editorial Board

France	- Professor P. AIGRAIN
U.K	- Dr. J. E. ALLEN
U.K	- Professor A. H. W. BECK
West Germany	- DrIng. J. BRETTING
U.S.A	- Professor M. CHODOROW
U.K	- Professor K. G. EMELEUS
Switzerland -	- Professor G. EPPRECHT
France	- Dr. M. GOLDMAN
West Germany	- Professor Dr.rer.nat. W. HARTH
West Germany	- Professsor Dr. H. L. HARTNAGEL
U.K	- Professor C. A. HOGARTH
U.S.A	
U.S.A	- Dr. J. M. LAFFERTY
U.K	- T. P. McLEAN
U.K	- C. A. MAY
U.S.A	- Professor J. R. PIERCE
U.K	- D. H. ROBERTS
U.S.A	- Professor L. D. SMULLIN
U.K	- Dr. D. T. SWIFT-HOOK
U.K	- P. E. TRIER
Japan	- Dr. M. UENOHARA
Sweden	
U.S.A	

Volume LV

July 1983 to December 1983



Subscription Information

ISSN 0020-7217

USA, Canada and Mexico (air freight): annual subscription (payable in advance), \$415-00; per part \$37-00 (surface post paid). Air freight and mailing in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003. Second class postage paid at Jamaica, New York 11431. USA Postmaster: Send address changes to International Journal of Electronics, Publications Expediting Inc., 200 Meacham Avenue, Elmont, New York 11003. US subscribers should send order and cheque (in Avour of Taylor & Francis Ltd) to Account 00 109 567 Bankers Trust Company, P.O. Box 9137, Church Street Station, New York, N.Y. 10049.

Jupun (accelerated surface post): apply to exclusive agents, Kinokuniya Company Ltd, Odakyu West-Shinjuku Building, 47–1 Hatsudai 1-chome, Shibuya-ku, Tokyo 151. Telex 2322535.

FR Germany (surface post): annual subscription (payable in advance), DM 690-00; per part DM 63-00. Subscribers in FR Germany should send order and cheque (in favour of Taylor & Francis Ltd) to Account No. 073/6686, Deutsche Bank AG, BLZ 500 700 10, Postfach 2623. Rossmarkt 18, 6000 Frankfurt/Main 1.

UK and the rest of the world (surface post; accelerated surface post to Australasia; air freight to India): annual subscription (payable in advance). £145-00; per part £14-00 (surface post paid).

Published monthly by Taylor & Francis Ltd, 4 John Street, London WC1N 2ET, UK. Telex 858540.

Printed by Taylor & Francis (Printers) Ltd, Rankine Road, Basingstoke, Hampshire RG24 0PR, UK.

0020-7217/83 \$4·00 © 1983 Taylor & Francis Ltd

CONTENTS OF VOL. LV (Nos. 1-6)

NUMBER 1—JULY

Editorial. R. M. Brooks	1
Invited paper. Principles of digital line coding. K. W. CATTERMOLE	3
Invited paper. Analysis of codes and spectra calculations. G. L. CARIOLARO, G. L. PIEROBON and G. P. TRONCA	35
Invited paper. Line coding for optical fibre systems. R. M. Brooks and A. Jessop	81
Invited paper. Two-level AMI line coding family for optical fibre systems. Y. Takasaki, K. Yamashita and Y. Takahashi	121
Pulse format for bandlimited multimode fibre transmission. S. Murakami, M. Shimodaira and M. Sugiyama	133
A simple in-service error detection scheme based on the statistical properties of line codes for optical fibre systems. A. J. Sharland and A. Stevenson	141
Invited paper. Line codes for metallic cable systems. D. B. WATERS	159
Line coding and intersymbol interference in local network transmission systems. P. F. Adams and S. A. Cox	
Coding for satellite and space channels. W. W. Wu	183
NUMBER 2—AUGUST	
An analysis of an abrupt transition from a uniform empty waveguide to a periodically loaded waveguide. A. J. SANGSTER and H. G. McDonald	213
Triggering triacs with narrow pulses. P. J. LANGLOIS	229
Some hardware realizations of negabinary arithmetic. D. Grover, V. K. Madan, N. K. Nanda and H. Singh	235
RMS measurement of low-frequency waveforms. R. W. J. BARKER	243
Measurement of signal-to-noise ratio on pulse-interval modulation. J. N. TRIPATHI	247
Digital time-constant regulator for micromachines. J. B. X. DEVOTTA and V. SRINIVASAN	253

Optimum argon-hydrocarbon Penning mixture ionization formula. A. E. D. HEYLEN	259
Study of daytime peak frequency and bandwidth of atmospherics as a function of azimuth. V. S. VARAPRASAD, S. GOPALAKRISHNA and P. SITARAMASWAMY	265
Don't-cares in the concurrency matrix for bit steering. A. MATHIALAGAN and N. N. BISWAS	271
A quad-slope ADC multiplier. S. M. R. TAHA and M. A. H. ABDUL-KARIM	275
Active filters: combined wave active and SFG techniques. I. HARITANTIS	285
Implication trees in the minimization of incompletely specified sequential machines. N. N. BISWAS and A. MATHIALAGAN	291
Solar cell efficiency calculations using an average absorption coefficient. B. Källbäck	299
Electrical switching effects in Na ₂ O/SiO ₂ glasses. E. E. Khawaja, M. N. Khan and C. A. Hogarth	303
Research notes Some comments on potential and space charge distribution in a symmetrical magnetic diode. C. ZHENG	307
A simple analogue approach to fast Walsh transform. Ü. Keskin	309
Correspondence	313
Erratum	319
Books received	321
to the state of th	
NUMBER 3—SEPTEMBER	
The design and realization of switched-capacitor ladder filters using computer and scaled-capacitor models. W. L. McCall, F. W. Stephenson, S. M. Riad and A. A. Riad	323
Equal-pulse-width modulation control strategy for an AC to DC converter. P. D. Parikh and S. R. Doradla	339
Effects of arm bend and asymmetric feeding on dipole antennae. H. Nakano, J. Yamauchi, K. Kawashima and K. Hirose	353
Synchronization of TFM typed signals using costas loops. Hen-Wai Tsao and Tung-Sen Cheng.	
A simple electronic system for computing the fast Walsh transform. A. J. Rubio A	377
MOS compatible high frequency active-C filters. I. A. Khan and M. T. Ahmed	385

Stationary and non-stationary spatial temperature distributions in semi- conductors, caused by pulse voltages. V. I. ARKHIPOV, E. R. ASTVATSATURYAN,	20.5
V. A. GODOVITSYN and A. I. RUDENKO	395
Bit sequential multiplier using right shift. R. V. Donthi and H. Singh	405
Bit sequential multiplier using carry-look-ahead technique. R. V. Donthi and H. Singh	411
The v-groove technique in the fabrication of high-voltage junction devices. W. C. Liu, C. Y. Chang, W. C. Hsu, Y. K. Fang, B. S. Wu and R. C. Liu.	417
A circle diagram approach to the design of compensators. P. SHANMUGAM	425
A variable high-pass wave digital filter derived from an elliptic prototype network. E. C. Tan and C. J. Price	433
Admittance correction factors for gap excited cylindrical antennae. A. G. WILLIAMSON	441
A note on the correct evaluation of junction capacitance of a solar cell. S. Deb, M. K. Mukherjee, K. Maitra, B. Ghosh and B. K. Panigraphi	449
Simultaneous crosspolar null placing and copolar pattern synthesis. M. J. Archer and E. A. Parker	457
Easily decodable binary cyclic codes. V. C. DA ROCHA, JR	465
The burst error correcting power of <i>m</i> -sequence codes. V. C. DA ROCHA JR.	469
A new design for digital adaptive filters. B. V. RAO and T. MURALI	473
A new independently adjustable filter using the operational amplifier pole. Sun Zhi-Xiao	479
A method for contactless speed measurement of two-phase AC servomotors. Y. Prempraneerach and W. Pechpunski	485
Research notes A new four-quadrant analogue multiplier. T. S. RATHORE	491
Implementation of variable lowpass and highpass wave digital filters in the same realization. E. C. TAN	495
High input impedance current conveyor filters. S. F. H. NAQSHBENDI and R. S. SHARMA	499
Correspondence	501
Erratum	503

NUMBER 4—OCTOBER

Physics and classification of fast-wave devices. G. DOHLER and W. FRIZ	303
Coupling impedances in synchronous fast-wave devices. G. Döhler and W. Friz	523
An adaptive filter which adapts structure as well as weights. M. A. SODERSTRAND and M. C. VIGIL	533
Voltage control in magnetically coupled dual bridge inverters. A. BASHIR, B. D. PRADHAN and G. N. REVANKAR	551
Substrate current in short n-channel MOS transistors. B. Antov and A. Asenov	567
An X-band integrated circuit FET oscillator with dielectric resonator stabilization. A. DIB and G. B. MORGAN	579
Prediction of the transient intermodulation performance of operational amplifiers. M. T. ABUELMA'ATTI	591
Noise performance of the pulse interval modulation technique. S. D. MAROUGI and K. H. SAYHOOD.	603
Electronic implementation of the discrete Walsh transform with a variable number of data. A. Rubio, B. Garcia O., and R. Roman	615
An automatic digital Q-meter for low values of Q. M. EMURA, Y. FUKUI and S. YONEDA	625
MOS switched capacitor sample data filters. A. Kumar and S. K. Saha	631
Breakdown in concentration profile diodes. A. A. GHATOL and V. P. SUNDARSINGH	639
Phototransients in anodic tantalum oxide thin films. W. H. BOKHARI and F. M. NAZAR	647
Research notes A fast data recording system for a rotating interferometer. E. C. TAN	653
Study of space charge effects on photoconduction in amorphous Se _{0.95} Te _{0.05} films using a three electrode system. M. Noda, K. C. Kao and L. Chow	661
Short-backfire antenna with circular waveguide feed element. J. Komisarczuk and S. D. Marougi	669
On the use of look-up tables in the microprocessor implementation of digital filters. A. N. SKODRAS	675
Maximum power consideration in lossy solar cells. B. Prasad, K. Gopal, N. M. Ravindra and S. Robin	681
Notice	685

NUMBER 5—NOVEMBER

Theoretical considerations for relativistic magnetrons. W. P. Ballard, S. A. Self and F. W. Crawford	687
High-speed optoelectronic gallium arsenide switch triggered by mode-locked laser pulses. M. S. Demokan and M. S. Özyazıcı	699
New types of dielectric-loaded horn antennas. M. Hamid and A. Al-Sulaiman	729
New two-quadrant chopper with simultaneous control. S. S. Joshi and G. K. Dubey	751
Limit cycles and similarity transformation of simple digital circuits. E. C. TAN	767
Errata	775
Books received.	779
NUMBER 6—DECEMBER	
A simple model for self-consistent calculation of the large-signal behaviour of gyrotrons. C. J. EDGCOMBE	781
Some electrical properties of sodium-titanium-germanate glasses. M. N. Khan, D. Save and C. A. Hogarth	795
A stabilized common-drain GaAs FET oscillator using a dielectric resonator in the 7GHz band. D. Singh, K. P. Rangari and C. K. Chatterjee	805
Thyristor-diode control circuits. A. A. EL-SATTAR and M. ABO EL-NAGA	811
A 'striking off' procedure for searching for the prime implicants of a logic function. A. Petrowski, L. Legrand, H. Bechar and A. J. Tosser	823
Basic properties of Ar-Hg H-type discharges. H. C. Hsu and G. X. CHEN	829
Phase-locked speed regulation of universal motors. N. MARGARIS and V. PETRIDIS.	843
Fast peak measurement of sinusoidal signals. M. K. MAHMOOD, J. E. ALLOS and M. A. H. ABDUL-KARIM	851
Electric field cell for microwave frequencies. A. A. S. OBAID, T. S. M. MACLEAN and M. RAZAZ	857
Memory switching in CdO-ZnO-P ₂ O ₅ glass in thin film form.	861

el frequency arithmetic unit. K. M. Ibrahim, S. A. H. Abbas and Abdul-Karim	865
arch notes	
armonic and intermodulation performance of wideband memoryless non-linear amplifiers. M. T. ABUELMA'ATTI	871
n nega-binary detectors. J. E. MALIK and H. SINGH	875
novel dual-input tunable integrator. R. Nandi and S. Nandi	877
new exponential generator. T. S. RATHORE and R. M. INAMDAR	881
ouncement	883
ect index	885
or index	889
	ABDUL-KARIM